

THIS WEEK'S SAVINGS JULY 14 - JULY 20, 2017

**FOLGERS COFFEE
CLASSIC OR DECAF
920G ... \$4.99 EACH**

KRAFT CHEESE SLICES 450G \$2.99 EACH

PC BEEF BURGERS 1.13KG \$11.99 EACH

KELLOGG CEREALS 320G - 680G \$2.99 EACH

ROYALE BATHROOM TISSUE 12ROLL \$6.97 EACH

RUFFLES POTATO CHIPS 245G 2/\$6.00

**BROWSE OUR WEEKLY SALES FLYER FOR MORE SAVINGS
IN OUR PRODUCE, DAIRY, DELI, FROZEN, MEAT, AND GROCERY DEPARTMENTS**



CIPI NEWSLETTER

Volume 33 Issue 14

Friday, July 14th, 2017

**In case of a serious
Emergency call 911**
 FIRE911
 AMBULANCE911
 POLICE306-288-6400
 CLINIC306-288-4800
 Ile-x Hospital....1-306-833-2016
 Kids Help Line 1-800-668-6868

Notice from Public Health
 Babies and children are eligible to receive immunizations beginning at 12 months of age and continuing well into the school system. Immunizations prevent illness such as diphtheria, pertussis, (known as whooping cough), tetanus (known as lockjaw), polio, roto-virus, measles, mumps, rubella, meningitis, chicken pox, hepatitis A and Hepatitis B as well as HPV.
 To inquire about your child, children's immunization status or to make an appointment, call the public health office at 306 288 4806. I will be available to answer questions that you may have between the hours of 8:00am to 5:00pm, Monday to Friday.
 Remember to protect your children from any childhood diseases, have them immunized on time.
 Loretta Solway, RN, BScN, AAP, PHN

CIPI TV BINGO
 Friday, July 14th, 2017
 7:30pm on Cable 5, Digital 365 /96.5FM
Power Ball - \$1000.00
 can only be won on Bonanza
Early Bird - 3up - \$5.00
 45#'s pre-called
 Blackout Game
49#'S for LAWN MOWER & ACCESSORIES
 Consolation: \$200

1st Series - 1up - \$2.00
 Standard Start: \$50.00
 Two Lines: \$75.00
 Caller's Choice: \$100.00
 Large Frame: \$125.00
Blackout: \$400.00

2nd Series - 1up - \$2.00
 Standard Start: \$50.00
 Two Lines: \$75.00
 Caller's Choice: \$100.00
 Large Frame: \$125.00
Blackout: \$400.00

Bonanza - 2up - \$5.00
 Standard Start: \$50.00
 Two Lines: \$75.00
 Caller's Choice: \$100.00
 Large Frame: \$125.00
Blackout: \$2,000 in 51#'s or less

Consolation: \$500.00
2nd Blackout: \$200.00
 *Prizes depend on number of cards sold
 License # MB16-0005

Pharmacy Notice
 Buffalo Narrows Pharmacy will be delivering prescriptions to Beauval Northern and Beauval Clinic Monday, Wednesday & Friday. We thank you for your continued support.
Your Northern Pharmacy team in Buffalo Narrows

SIPISISHK FOOD BANK
 Effective August 1st, 2017 the Food Bank will only be open twice a month. It will be open on August 9th & 30th and every two weeks after that. On July 19th, 2017 the Food Bank will be providing meat, potatoes, eggs, bread, etc.
 Also if you have clothing that you no longer need, bring them to our Clothing Exchange.
 ⇒ Bring clothes to exchange with other people
 ⇒ Whatever clothes you bring and can't exchange, you must take them back with you.
 ⇒ No leaving clothes at the food bank
 ⇒ No selling clothes, its free for all.
 The Food Bank will be at the Community Gym on July 19th at 4:00pm. Any questions, call Bertha at 306 288 1002 or Jenn at 306 288 2002.

CIPI TV BINGO

Sunday, July 16th 2017
7:30pm on Cable 5, Digital 365 /96.5FM

Power Ball - \$1100.00

can only be won on Bonanza

Early Bird - 3up - \$5.00

45#'s pre-called
Blackout Game

50#'s for LAWN MOWER & ACCESSORIES

Consolation: \$200

1st Series - 1up - \$2.00

Standard Start: \$50.00

Two Lines: \$75.00

Caller's Choice: \$100.00

Large Frame: \$125.00

Blackout: \$400.00

2nd Series - 1up - \$2.00

Standard Start: \$50.00

Two Lines: \$75.00

Caller's Choice: \$100.00

Large Frame: \$125.00

Blackout: \$400.00

Bonanza - 2up - \$5.00

Standard Start: \$50.00

Two Lines: \$75.00

Caller's Choice: \$100.00

Large Frame: \$125.00

Blackout: \$2000 in

52#'s or less

Consolation: \$500.00

2nd Blackout: \$200.00

*Prizes depend on number of cards sold

License # MB16-0005

St. Mary Magdalene

Sunday, July 16th, 2017

Liturgy @ 10:30am

Readers:

☪ Annette Roy

☪ Ed Mihalicz

CIPI Newsletter

is published twice a month by
Sipishk Communications Inc.

Beauval, SK S0M 0G0

Ph.: 306-288-2222

Editor: Velma J. Roy
cipinewsletter@cipiradio.com

Deadline for next submissions:

July 26th @ 3:00 pm

unless arrangements are made.

Northern Village of Beauval is accepting

TENDERS

**for the Purchase and Removal of the
Beauval Air Port Shelter**

The Northern Village of Beauval is seeking tenders for the purchase and removal of the shelter located at the Beauval Air Port. The successful tender will be responsible to pay the tendered purchase price in full and also be responsible to move the building to their own desired location.

Sealed Tenders can be submitted to:

Mail: P.O. Box 19, Beauval Saskatchewan S0M 0G0

or dropped off at the Village Office.

TENDERS MUST BE MARKED AS

"AIR PORT SHELTER"

DEADLINE: July 21st 2017 @ 4pm.

Winning Tender will be notified July 26th

For information contact:

E-mail: admin.beauval@sasktel.net

Phone: 306-288-1002

Beauval Recreation & Minor Sports would like to send a **THANK YOU** to the **GENERAL STORE & NORTHERN STORE** for their donations during our Canada Day 150 Celebrations.

Also a big thank you to the volunteers: Cecile, Joyce, Shelley, Velma, Angela, Wayanna, Vivian, Merv, Fire Suppression, Marlene, Mabel, Margaret, Jarica, Laynie, Mayor Nick, RCMP, Fire Brigade & everyone else that contributed to make the celebrations a great success!

Thank You from Wayne Laliberte, Recreation Director

**S
u
d
o
k
u**

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4 | 8 | 6 | 9 | 7 | 2 | 1 | 5 | 3 |
| 5 | 9 | 1 | 3 | 4 | 8 | 7 | 2 | 6 |
| 7 | 2 | 3 | 1 | 5 | 6 | 4 | 9 | 8 |
| 3 | 1 | 9 | 4 | 6 | 5 | 2 | 8 | 7 |
| 6 | 5 | 2 | 7 | 8 | 6 | 3 | 4 | 1 |
| 8 | 4 | 7 | 2 | 1 | 3 | 5 | 9 | 6 |
| 2 | 3 | 4 | 8 | 6 | 7 | 9 | 1 | 5 |
| 1 | 9 | 8 | 5 | 3 | 4 | 9 | 7 | 2 |
| 9 | 7 | 5 | 6 | 2 | 1 | 8 | 3 | 4 |

**A
n
s
w
e
r**

Summer Sun Tips

0-2 Low

- * Minimal sun protection required for normal activity
- * If you're outside for more than one hour, wear sunglasses, cover up and use sunscreen
- * Reflection off snow can nearly double UV strength, so wear sunglasses and apply sunscreen on your face

3-5 Moderate

- * Take precaution - cover up, bear a hat, sunglasses and sunscreen especially if you're outside for 30 minutes or more
- * Look for shade around mid-day

6-7 High

- * You need protection - find shade, get out sunscreen, hats, sunglasses and cover up. Unprotected skin can be damaged and burn quickly.
- * Try and stay out of the sun between 11am to 4pm.

8-10 Very High

- * Extra precautions required. Find shade, cover up, wear a hat, sunglasses & sunscreen. Unprotected skin will be damaged and can burn quickly.
- * If you can, avoid the sun from 11am to 4pm.

11 Extreme

- * This is very rare in Canada. Maximum protection is required.
- * Avoid the sun from 11am to 4pm.
- * Stay in the shade, cover up, wear a hat, sunglasses & sunscreen because the white sand and other bright surface reflect UV and increase UV exposure.
- * Unprotected skin will be damaged and can burn in minutes.

**S
u
d
o
k
u**

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | 2 | | 5 | | |
| | | | 4 | | | | 6 | |
| | 1 | | | | 8 | 4 | 3 | |
| | | 5 | | | | | 4 | 8 |
| | | | 9 | | 7 | | | |
| 7 | 8 | | | | | 9 | | |
| | 9 | 4 | 6 | | | | 2 | |
| | 2 | | | | 3 | | | |
| | | 1 | | 7 | | | | |

Enter a number from 1 through 9 in such a way that each row, column, and region contains only one instance of each number.

CIPI TV BINGO

Tuesday, July 18th, 2017
7:30pm on Cable 5, Digital 365 /96.5FM

Power Ball - \$1200.00

can only be won on Bonanza

Early Bird - 3up - \$5.00

45#'s pre-called
Blackout Game

51#'s for LAWN MOWER & ACCESSORIES

Consolation: \$200

1st Series - 1up - \$2.00

Standard Start: \$50.00

Two Lines: \$75.00

Caller's Choice: \$100.00

Large Frame: \$125.00

Blackout: \$400.00

2nd Series - 1up - \$2.00

Standard Start: \$50.00

Two Lines: \$75.00

Caller's Choice: \$100.00

Large Frame: \$125.00

Blackout: \$400.00

Bonanza - 2up - \$5.00

Standard Start: \$50.00

Two Lines: \$75.00

Caller's Choice: \$100.00

Large Frame: \$125.00

Blackout: \$2,000 in

53#'s or less

Consolation: \$500.00

2nd Blackout: \$200.00

*Prizes depend on number of cards sold

License # MB16-0005

CIPI NUMBERS




Office: 306-288-2222 or 306-288-2474

Request Line: 306-288-2230

Contest Line: 306-288-2053

email: cipi@sasktel.net

website: www.cipiradio.com

| Saturday | Sunday | Monday |
|---|---|---|
|  |  |  |
| Mainly Sunny | 60% Showers | 40% Showers |
| High 30° Low 14° | High 22° Low 13° | High 15° Low 10° |

FIND A WORD -

Hidden Word _____


C H I L C H I C K E N L I T T L E L D H
 R O R R I M A L L E R E D N I C K C A J
 O S O D A T T T E O E R G G E B E A R S
 N R F E S S T U H T I R O S E F D E B S
 W E P R A G Q L I U A H K R R N H H I N
 U T B E A W I H E N M C C O E T I P G I
 G S B E O W W P D M O B G C O P R E B K
 L I K N A W D M E L E P E M O I M S A S
 Y S S I O U O N I L R R D L N N E E D T
 D P E N N T T D E I T O M C I H I N W L
 U E S V H G L Y N V G T E A S N A P O I
 C T E E L O M C N Y E S I I I W A R L T
 K S R F G E E I R A S S W L S D I E F S
 L D O O H G N I D I R D E R E L T T I L
 I R Y T A I A T N A I G L E P E S N G E
 N C E A D F S E L E S N A H T M R U R P
 G O D D E S H O E M A K E R L I A H E M
 K L A T S N A E B L E Z N U P A R L T U
 G L E S O O G N E D L O G U N D I N E R
 A S T E P M O T H E R H S I N B A D L T

- | | | | |
|-----------------|--------------|------------------------|-------------------|
| ALADDIN | FROG PRINCE | LAMP | SINBAD |
| BEANSTALK | GENIE | LITTLE MERMAID | SNOW QUEEN |
| BEARS | GIANT | LITTLE RED RIDING HOOD | SNOW WHITE |
| BEAST | GOLDEN GOOSE | MIRROR | STEPMOTHER |
| BEAUTY | GOLDDLOCKS | PEA | STEPSISTERS |
| BIG BAD WOLF | GRANDMOTHER | PINOCCHIO | SWAN |
| CHICKEN LITTLE | GRETEL | PRINCESS | THREE LITTLE PIGS |
| CINDERELLA | HANSEL | RAPUNZEL | THUMBELINA |
| ELVES | HUNTER | RUMPELSTILTSKIN | UGLY DUCKLING |
| EMPEROR | JACK | SEVEN DWARFS | UNDINE |
| FAIRY GODMOTHER | KING MIDAS | SHOEMAKER | WISHES |

Summer Programming

For the month of July & August, we changed the schedule from morning and afternoon activities to just afternoon. On warm, sunny days, we will go swimming from 1:00 to 3:00pm then we will go back to the hall for activities from 3 to 5pm. On rainy days, all activities will either be in the old hall or community gym. July 17-20, there will be no swimming. Swimming will resume July 24th at 1:00pm. There will still be daily activities happening from 1:00 to 5:00pm. If you have any questions, call Jarica or Laynie at 306 288 1002. Thank You

- July 17th
1:00 - Board Games (old hall)
 - July 18th
1:00 - Kickball (school field)
 - July 19th
1:00 - Volleyball (community gym)
 - No programs on July 20th & 21st.
 - July 24th
1:00 - Swimming
3:00 - Slime Making
 - July 25th
1:00 - Swimming
3:00 - Board Games
 - July 26th
1:00 - Swimming
3:00 - Cupcake Decorating
 - July 27th
1:00 - Swimming
3:00 - Outdoor Activities
 - July 28th
1:00 - Swimming
3:00 - Indoor Games
 - July 31st
1:00 - Bike Rally (Lunch provided)
- *Any changes to schedule will be announced on CIPI Radio & TV*



OPEN DOUBLES BOLO TOURNAMENT

Men's & Women's Categories
 Saturday, July 29th, 2017
 Beauval Sports Grounds
 \$20.00/player
 Double Knock out Format

OPEN DOUBLES HORSESHOE TOURNAMENT

Men's & Women's Categories
 \$20/player
 Double Knock out Format



Sign up at 12 noon. Games will begin at 2:00 pm sharp. You can bring your own partner or if you don't have one, names will be put into a draw.

Cash Prizes for 1st, 2nd & 3rd.
 Prizes will be based on entries.

Hosting Organization waives all liability with regards to injuries, theft, mishaps sustained by anyone attending this activity



TEXAS HOLD 'EM TOURNAMENT

Sunday, July 30th, 2017
 Games will start at 2:00pm
 Beauval Community Gym
 \$50 entry - no rebuys

*Proceeds will benefit Elders, Youth, & Culturing Programming
 Hosted by Beauval Minor Sports & Recreation*

Hosting Organizations waives all liability with regards to unfair play sustained by anyone attending our activities.

For more information, call Wayne at 306 288 2064



to Beauval Maintenance Crew & Fire Suppression Crews

For your untiring dedication in keeping our water safe and clean for drinking, for fixing the water line breaks well past your quitting time, for cutting the grass and cleaning the ditches, for your help in community events and for your work wherever you are needed.



Thank You!

Drinking Water Quality and Compliance

Introduction

The Water Security Agency and the Ministry of Environment requires that at least once each year waterworks owners provide notification to consumers of the quality of water produced and supplied as well as information on the performance of the waterworks in submitting samples as required by a Minister's Order or Permit to operate a waterworks. The following is a summary of the Northern Village of Beauval water quality and sample submission compliance record for the Jan 1st to Dec 31st, 2016 time period. This report was completed on June 27th, 2017. Readers should refer to Water Security Agency's [Municipal Drinking Water Quality Monitoring Guidelines, June 2015, EPB 502](#) for more information on minimum sample submission requirements and the meaning of type of sample. Permit requirements for a specific waterworks may require more sampling than outlined in the department's monitoring guidelines. If consumers need more information on the nature and significance of specific water tests, for example, "what is the significance of Selenium in a water supply", more detailed information is available from: http://www.hc-sc.gc.ca/ewh-semt/pubs/water-eau/index_e.html.

Water Quality Standards

Bacteriological Quality

| Parameter/Location | Limit | Required | Regular Sample Submitted | Regular Samples Submitted (%) | # of Positive Regular Submitted (%) |
|-----------------------------------|----------------------|----------|--------------------------|-------------------------------|-------------------------------------|
| Total Coliform 0 Organisms/100 mL | 52 | 50 | 0 | | |
| E. coli 0 Organisms/100 mL | 52 | 50 | 0 | | |
| Background Bacteria | Less than 200/100 mL | | | | |

Water Disinfection –

Chlorine Residual in Distribution System for Test Results Submitted with Bacteriological Samples

| Parameter | Minimum Limit | Total Chlorine Residual Range | Free Chlorine Residual Range | # Tests Required | # Tests Adequate Submitted | Chlorine (%) |
|-------------------|---------------------------------|-------------------------------|------------------------------|------------------|----------------------------|--------------|
| Chlorine Residual | 0.1 mg/L free OR 0.5 mg/L total | 0.22-2.62 | 0.10-2.15 | 52 | 50 | 100 |

Water Disinfection - Free Chlorine Residual for Water Entering Distribution System from Waterworks Records-From Water Treatment Plant Records

| Parameter | Limit (mg/L) | Test Level Range | # Tests Performed | # Tests Not Meeting Requirements |
|------------------------|--------------|------------------|-------------------|----------------------------------|
| Free Chlorine Residual | at least 0.1 | 0.00-2.20 | 366 | 11 |

A minimum of 0.1 milligrams per litre (mg/L) free chlorine residual is required for water entering the distribution system. Tests are normally performed on a daily basis by the waterworks operator and are to be recorded in operation records. This data includes the number of free chlorine residual tests performed, the overall range of free chlorine residual (highest and lowest recorded values) and the number of tests and percentage of results not meeting the minimum requirement of 0.1 mg/L free chlorine residual.

Turbidity – From Water Treatment Plant Records

| Parameter | Limit | Test Level Range | # Tests Not Meeting Requirements | Maximum Turbidity (NTU) | #Tests Required | # Tests Performed |
|-----------|-------|------------------|----------------------------------|-------------------------|-----------------|-------------------|
| Turbidity | 1.0 | 0.09-2.38 | 10 | 2.38 | 366 | 366 |

Chemical – Health Category

All waterworks serving less than 5000 persons are required to submit water samples for SE's Chemical Health category once every 2 years. The Chemical Health category includes analysis for arsenic, barium, boron, cadmium, chromium, fluoride, lead, nitrate, selenium and uranium.

The last sample for Chemical Health analysis was submitted on Dec 31, 2016). Sample results indicated that the provincial drinking water quality standards were not exceeded.

| Parameter | Limit MAC(mg/L) | Limit IMAC (mg/L) | Sample Result(s) | # Samples Exceeding Limit |
|-----------------|-----------------|-------------------|------------------|---------------------------|
| Arsenic | 0.010 | | 0.10 ug/l | 0 |
| Barium | 1.0 | | 110 ug/l | 0 |
| Boron | | 5.0 | 0.2 ug/l | 0 |
| Bromate | 0.01 | | - | - |
| Cadmium | 0.005 | | <0.15 ug/l | 0 |
| Chlorate | 1.0 | | - | - |
| Chlorite | 1.0 | | - | - |
| Chromium | 0.05 | | <0.19 ug/l | 0 |
| Fluoride (avg*) | 1.5 | | 0.26 mg/l | 0 |
| Lead | 0.01 | | 0.30 ug/l | 0 |
| Nitrate (avg.*) | 45.0 | | <0.2 mg/l | 0 |
| Selenium | 0.01 | | <1.13 ug/l | 0 |
| Uranium | 0.02 | | <0.11 ug/l | 0 |

* Results expressed as average values for communities or waterworks that fluoridate drinking water supplies or those with elevated concentrations of fluoride or nitrates.

Chemical – Trihalomethanes (THMs) and Haloacetic Acids (HAAs)

| Parameter | THMs Limit (mg/L) | Sample Result (average) | # Samples Required | # Samples Submitted |
|------------------|-------------------|-------------------------|----------------------|---------------------|
| Trihalomethanes | 0.1 | N/A | 4 (1 every 3 months) | |
| Haloacetic Acids | 0.08 | N/A | 4 (1 every 3 months) | |

continued from previous page

Note: Only water supplies derived from surface water or groundwater under the influence of surface water are required to monitor for THMs and HAAs. Waterworks using groundwater sources beyond the influence of surface water do not need to report THMs or HAAs since sampling/analysis will not likely have been performed unless otherwise noted in the waterworks permit to operate

General Chemical

| Parameter | Aesthetic Objectives * (mg/L) | Sample Results (average) Required | Samples Submitted | # Samples |
|------------------------|-------------------------------|-----------------------------------|-------------------|-----------|
| Alkalinity | 500 | 296 | 1 | 1 |
| Bicarbonate | No Objective | 361 | 1 | 1 |
| Calcium | No Objective | 81 | 1 | 1 |
| Carbonate | No Objective | 0 | 1 | 1 |
| Chloride | 250 | 104.5 | 1 | 1 |
| Conductivity | No Objective | 915 | 1 | 1 |
| Hardness | 800 | 313 | 1 | 1 |
| Magnesium | 200 | 27 | 1 | 1 |
| PH | No Objective | 76 | 1 | 1 |
| Sodium | 300 | 53 | 1 | 1 |
| Sulphate | 500 | 37.9 | 1 | 1 |
| Total dissolved Solids | 1500 | 670 | 1 | 1 |

All waterworks serving less than 5000 persons are required to submit water samples for SE's General Chemical category once every two years if a ground water source and once per three months every second year if a surface water or blended surface/groundwater source. The General Chemical category includes analysis for alkalinity, bicarbonate, calcium, carbonate, chloride, conductivity, hardness (as CaCO₃), magnesium, sodium, sulphate and total dissolved solids.

The last sample for General Chemical analysis was required on 2015 and submitted on 2015 with the latest test done in 2017. Sample results indicated that there were no exceedances of the provincial aesthetic objectives for the General Chemical category.

*Objectives apply to certain characteristics of or substances found in water for human consumptive or hygienic use. The presence of these substances will affect the acceptance of water by consumers and/or interfere with the practice of supplying good quality water. Compliance with drinking water aesthetic objectives is not mandatory as these objectives are in the range where they do not constitute a health hazards. The aesthetic objectives for several parameters (including hardness as CaCO₃, magnesium, sodium and total dissolved solids) consider regional differences in drinking water sources and quality.

More information on water quality and sample submission performance may be obtained from:

Northern Village of Beauval - P.O. Box 19 - Beauval, Saskatchewan - S0M 0G0
(306) 288-1003 - Fax (306) 288-2348 - ws.beauval@sasktel.net

